


INDIANA. N & W 2 P. M.

73

87



Township N: XIX north . Range N: III west 2: Mer.

Surveyed by Josephus Collett.

1820.

IND

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c	Between Sections	Quality &c	Between Sections	Quality &c
35.36	Land rolling, good Sugar, Beech, H. Oak, hick, Spruce	23.24	Land rolling, good Sugar, Beech, H. Oak, hick, Spruce	2.3	Land rolling, good Sugar, Beech, H. Oak, hick, Spruce
25.26	Same - level	33.34	Same	4.5	Same
25.26	Same	27.28	Same - level	31.32	Same, rolling
25.26	Same	27.28	Same	29.30	Same - level
25.26	Same	27.28	Same	26.27	Same
13.14	Same	21.22	Same - wet	10.11	Same
13.14	Same - wet	15.16	Same - rolling, good	17.18	Same
13.14	Same	15.16	Same - level	17.18	Same
11.12	Same - dry	11.12	Same	17.18	Same
1.12	Same	7.18	Land rolling, rich - Sugar, Beech, H. Oak, hick, Spruce	15.16	Same
1.12	Same	7.18	Same - level	15.16	Same
34.35	Land rolling, good Sugar, Beech, H. Oak, hick, Spruce	3.4	Same - rolling	5.6	Land level, water, rich, Sugar, Beech, H. Oak, hick, Spruce
24.25	Same - level	32.33	Same	30.31	Same, rolling, 2nd rate
24.25	Same - rolling, rich	28.29	Same	17.18	Same - level
23.24	Same	21.22	Same - level, 2nd rate	18.19	Same - good
23.24	Same	21.22	Same	7.18	Same
14.15	Same	16.17	Same - dry	6.7	Same - water, lower same
11.12	Same	7.18	Same - dry		
10.11	Same	7.18	Same - dry		
3.11	Same	7.18	Same		

Traverse of St. 19 North, Range St. 3 West of T. 10 N.

Interior Section corners described

Post	Bearing	Feet	Courses	Feet	Quality of the Soil
A	N. 60° E.	27	St 14	271	
a	do	15	St 14	114	
B	N. 60° E.	12	St 11	637	
b	do	15	St 38	1142	
C	N. 60° E.	24	St 11	620	
c	do	15	St 31	1131	
D	N. 60° E.	24	St 55	1143	
d	N. 60° E.	8	St 22	658	
E	N. 60° E.	18	St 67	227	
e	do	14	St 89	113	
F	N. 60° E.	14	St 41	816	
f	do	7	St 50	1112	
G	N. 60° E.	18	St 33	632	
g	do	12	St 1	1	
H	N. 60° E.	18	St 48	48	
h	do	14	St 67	626	
I	N. 60° E.	18	St 33	1116	
i	do	36	St 58	625	
J	N. 60° E.	24	St 14	114	
j	do	9	St 14	632	
K	N. 60° E.	10	St 80	623	
k	do	30	St 55	1130	
L	N. 60° E.	18	St 63	617	
l	do	12	St 87	1111	
M	N. 60° E.	14	St 43	1144	
m	do	28	St 86	612	
N	N. 60° E.	12	St 39	1131	
n	do	12	St 32	622	
O	N. 60° E.	14	St 51	1141	
o	do	22	St 75	1114	
P	N. 60° E.	42	St 69	617	
p	do	9	St 67	1142	
Q	N. 60° E.	40	St 50	630	
q	do	36	St 77	1126	
R	N. 60° E.	18	St 82	612	
r	do	28	St 61	1135	
S	N. 60° E.	27	St 44	614	
s	do	11	St 67	1127	
T	N. 60° E.	12	St 31	615	
t	do	14	St 31	615	
U	N. 60° E.	14	St 33	617	
u	do	9	St 33	617	
V	N. 60° E.	14	St 33	617	
v	do	14	St 33	617	
W	N. 60° E.	14	St 33	617	
w	do	14	St 33	617	
X	N. 60° E.	14	St 33	617	
x	do	14	St 33	617	
Y	N. 60° E.	14	St 33	617	
y	do	14	St 33	617	


Section	Bearing	Feet	Courses	Feet	Quality of the Soil
25, 26, 33, 36	N. 60° E.	12	St 57	1110	
27, 28, 29, 30	do	20	St 81	616	
23, 24, 25, 26	do	18	St 42	610	
13, 14, 23, 24	do	36	St 29	1118	
11, 12, 13, 14	do	16	St 17	618	
1, 2, 11, 12	do	30	St 40	1117	
26, 27, 34, 35	do	24	St 27	617	
22, 23, 24, 25	do	10	St 4	1120	
14, 15, 22, 23	do	12	St 10	1110	
26, 27, 34, 35	do	24	St 26	614	
22, 23, 24, 25	do	10	St 15	1122	
14, 15, 22, 23	do	12	St 39	1113	
14, 15, 22, 23	do	10	St 39	613	
14, 15, 22, 23	do	12	St 44	1118	
14, 15, 22, 23	do	40	St 60	1112	
14, 15, 22, 23	do	12	St 46	1113	
14, 15, 22, 23	do	20	St 7	611	
14, 15, 22, 23	do	20	St 13	1114	
14, 15, 22, 23	do	20	St 28	610	
14, 15, 22, 23	do	20	St 18	617	
14, 15, 22, 23	do	24	St 10	1130	
14, 15, 22, 23	do	12	St 10	632	
14, 15, 22, 23	do	24	St 21	626	
14, 15, 22, 23	do	20	St 43	1122	
14, 15, 22, 23	do	8	St 76	1110	
14, 15, 22, 23	do	8	St 77	610	
14, 15, 22, 23	do	12	St 42	1131	
14, 15, 22, 23	do	24	St 23	621	
14, 15, 22, 23	do	24	St 54	629	
14, 15, 22, 23	do	16	St 27	1117	
14, 15, 22, 23	do	14	St 48	49	
14, 15, 22, 23	do	24	St 31	630	
14, 15, 22, 23	do	20	St 2	1122	
14, 15, 22, 23	do	24	St 16	1123	
14, 15, 22, 23	do	10	St 10	61	
14, 15, 22, 23	do	12	St 10	612	
14, 15, 22, 23	do	14	St 39	6100	
14, 15, 22, 23	do	30	St 30	619	
14, 15, 22, 23	do	9	St 41	1131	
14, 15, 22, 23	do	20	St 29	638	
14, 15, 22, 23	do	10	St 31	1121	
14, 15, 22, 23	do	30	St 49	1114	
14, 15, 22, 23	do	12	St 32	615	
14, 15, 22, 23	do	20	St 15	1136	
14, 15, 22, 23	do	10	St 87	639	
14, 15, 22, 23	do	14	St 51	614	
14, 15, 22, 23	do	30	St 34	1122	

Section	Bearing	Feet	Courses	Feet	Quality of the Soil
1 to 5	N. 60° E.	12	St 86	616	
6 to 10	do	16	St 38	1122	
11 to 15	do	16	St 40	1112	
16 to 20	do	48	St 11	1137	
21 to 25	do	18	St 5	1111	
26 to 30	do	8	St 20	1110	
31 to 35	do	18	St 21	1130	
36 to 40	do	8	St 28	612	
41 to 45	do	36	St 48	637	
46 to 50	do	40	St 30	1136	
51 to 55	do	24	St 53	622	
56 to 60	do	60	St 60	1113	
61 to 65	do	10	St 38	632	
66 to 70	do	8	St 23	625	
71 to 75	do	12	St 81	634	
76 to 80	do	12	St 33	1147	
81 to 85	do	18	St 72	1124	
86 to 90	do	12	St 3	620	
91 to 95	do	14	St 43	616	
96 to 100	do	8	St 17	1112	
101 to 105	do	12	St 30	1114	
106 to 110	do	8	St 48	1126	
111 to 115	do	18	St 3	612	
116 to 120	do	6	St 39	1119	
121 to 125	do	12	St 20	636	
126 to 130	do	10	St 15	1123	
131 to 135	do	14	St 47	625	
136 to 140	do	10	St 54	1128	
141 to 145	do	40	St 40	619	
146 to 150	do	16	St 74	1130	
151 to 155	do	24	St 17	620	
156 to 160	do	14	St 43	1116	
161 to 165	do	18	St 46	632	
166 to 170	do	14	St 28	1130	
171 to 175	do	10	St 10	614	
176 to 180	do	16	St 56	1137	
181 to 185	do	18	St 10	612	
186 to 190	do	14	St 10	612	
191 to 195	do	18	St 39	610	
196 to 200	do	48	St 61	1143	
201 to 205	do	12	St 11	634	
206 to 210	do	18	St 30	1133	
211 to 215	do	12	St 20	1121	
216 to 220	do	30	St 3	1134	
221 to 225	do	40	St 5	622	
226 to 230	do	12	St 31	1111	
231 to 235	do	10	St 15	1130	
236 to 240	do	10	St 15	1130	
241 to 245	do	10	St 15	1130	
246 to 250	do	10	St 15	1130	
251 to 255	do	10	St 15	1130	
256 to 260	do	10	St 15	1130	
261 to 265	do	10	St 15	1130	
266 to 270	do	10	St 15	1130	
271 to 275	do	10	St 15	1130	
276 to 280	do	10	St 15	1130	
281 to 285	do	10	St 15	1130	
286 to 290	do	10	St 15	1130	
291 to 295	do	10	St 15	1130	
296 to 300	do	10	St 15	1130	

Interior Quarter Section corners.

Section	Bearing	Feet	Courses	Feet	Quality of the Soil
1 to 5	N. 60° E.	12	St 63	616	
6 to 10	do	10	St 75	1117	
11 to 15	do	14	St 77	616	
16 to 20	do	8	St 77	1116	
21 to 25	do	16	St 43	623	
26 to 30	do	14	St 16	616	
31 to 35	do	24	St 20	1117	
36 to 40	do	10	St 13	619	
41 to 45	do	24	St 40	1120	
46 to 50	do	16	St 50	633	
51 to 55	do	16	St 75	1132	
56 to 60	do	18	St 73	633	
61 to 65	do	30	St 86	630	
66 to 70	do	14	St 72	1116	
71 to 75	do	12	St 81	620	
76 to 80	do	24	St 30	1114	
81 to 85	do	14	East	5	
86 to 90	do	4	St 80	1117	
91 to 95	do	16	St 52	617	
96 to 100	do	8	St 6	631	
101 to 105	do	10	St 52	614	
106 to 110	do	10	St 75	1116	
111 to 115	do	12	St 37	1124	
116 to 120	do	15	St 33	624	
121 to 125	do	14	St 61	1136	
126 to 130	do	7	St 42	624	
131 to 135	do	12	St 71	610	
136 to 140	do	24	St 31	632	
141 to 145	do	20	St 51	1117	
146 to 150	do	24	St 43	615	
151 to 155	do	12	St 67	1116	
156 to 160	do	16	St 75	1114	
161 to 165	do	18	St 70	617	
166 to 170	do	12	St 37	622	
171 to 175	do	16	St 41	617	

Township of XIX North Range of III West 2^d Mer.



Notes quantity 23.165.00

INDIANA:
N & W 2 P.M.

A true Copy from the original.

Surveyor General's Office March 22. 1822.
Richard D. Smith Secy. Gen.

IND 100
401

